		<i>X</i>
Application No.	Applicant(s)	·
08/780,507	ELLUL ET AL.	
Examiner	Art Unit	
Bernard Lipman	1713	
(OR REMAINS) CLOSED in this apport or other appropriate communication	plication. If not include will be mailed in due	ed course. <b>THIS</b>
<u>2006</u> .		
of this communication to file a reply IENT of this application.  itted. Note the attached EXAMINER as reason(s) why the oath or declarate to be submitted.  son's Patent Drawing Review (PTO s Amendment / Comment or in the Comment or in the Comment of the drawing to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL results).	complying with the red 'S AMENDMENT or Nation is deficient.  948) attached  Office action of the dol.  must be submitted. I	quirements IOTICE OF
6. ☐ Interview Summary Paper No./Mail Da 98), 7. ☐ Examiner's Amendr	(PTO-413), te ment/Comment	
	Bemard Lipman  Pars on the cover sheet with the county (OR REMAINS) CLOSED in this apport of the appropriate communication GHTS. This application is subject to and MPEP 1308.  Page 1308.	Examiner  Examiner  Examiner  Bernard Lipman  1713  Pars on the cover sheet with the correspondence addra (OR REMAINS) CLOSED in this application. If not include or other appropriate communication will be mailed in due GHTS. This application is subject to withdrawal from issue and MPEP 1308.  2006.  Deter received.  Deter received in Application No  Cuments have been received in this national stage application of this communication to file a reply complying with the releint of this application.  Determined the attached EXAMINER'S AMENDMENT or News reason(s) why the oath or declaration is deficient. But the submitted.  Description of the drawings in the front (not the header according to 37 CFR 1.121(d).  Sit of BIOLOGICAL MATERIAL must be submitted. If FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.  5. □ Notice of Informal Patent Application (PTG 1)  Paper No./Mail Date  Paper No./Mail Date  18. □ Examiner's Amendment/Comment  8. □ Examiner's Statement of Reasons for Allogentary (PTO-413),  Paper No. Mail Date  Paper No. Mail Date  Paper No./Mail Date

Application/Control Number: 08/780,507 Page 2

Art Unit: 1713

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: The combination of specific syndiotactic polypropylene with the required syndiotactic pentad fraction is not supported in the newly cited European publication to applicants and the combination of this component with the completely crosslinked copolymers B are, therefore, both novel and unobvious over the closest prior art as cited.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bernard Lipman whose telephone number is 571-272-1105. The examiner can normally be reached on 8-5 Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu can be reached on 571-272-1114. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 08/780,507 Page 3

Art Unit: 1713

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Bernard Lipman
Primary Examiner
Art Unit 1713

BL/hs